


WBF[®]

Ball Bearing Units







 BEARING HOUSING	    				
	UC	UK	NA	SA	SB
 P	UCP	UKP	NAP	SAP	SBP
 F	UCF	UKF	NAF	SAF	SBF
 FL	UCFL	UKFL	NAFL	SAFL	SBFL
 T	UCT	UKT	NAT	SAT	SBT
 FC	UCFC	UKFC	NAFC	SAFC	SBFC
 PH	UCPH	UKPH	NAPH	SAPH	SBPH
 PA	UCPA	UKPA	NAPA	SAPA	SBPA
 HA	UCHA	UKHA	NAHA		
 FB	UCFB	UKFB	NAFB		
 FA	UCFA	UKFA	NAFA		
 C	UCC	UKC	NAC	SAC	SBC
 LLP				SALLP	SBLLP
 LF				SALF	SBLF
 FD				SAFD	SBFD
 PP	UCPP	UKPP	NAPP	SAPP	SBPP
 PF	UCPF	UKPF	NAPF	SAPF	SBPF
 PFL	UCPFL	UKPFL	NAPFL	SAPFL	SBPFL





UCP200

Bearing Unit No.	Shaft Dia		Dimensions (mm)										Bearing No.	Housing No.	Weight (kg)
	d		h	a	e	b	S ₁	S ₂	g	w	n	Bi			
	in	mm													
UCP 201 201-8	1/2	12	30.2	127	95	38	13	19	14	62	11.5	27.4	UC 201 201-8	P201	0.65
UCP 202 202-10	5/8	15	30.2	127	95	38	13	19	14	62	11.5	27.4	UC 202 202-10	P202	0.63
UCP 203 203-11	11/16	17	30.2	127	95	38	13	19	14	62	11.5	27.4	UC 203 203-11	P203	0.60
UCP 204-12 204	3/4	20	33.3	127	95	38	13	19	14	65	12.3	31.0	UC 204-12 204	P204	0.66
UCP 205-14 205-15 205 205-16	7/8 15/16 1	25	36.5	140	105	38	13	19	15	71	14.3	34.1	UC 205-14 205-15 205 205-16	P205	0.80
UCP 206-18 206 206-19 206-20	1-1/8 1-3/16 1-1/4	30	42.9	165	121	48	17	21	17	83	15.9	38.1	UC 206-18 206 206-19 206-20	P206	1.30
UCP 207-20 207-21 207-22 207 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	167	127	48	17	21	18	93	17.5	42.9	UC 207-20 207-21 207-22 207 207-23	P207	1.60
UCP 208-24 208-25 208	1-1/2 1-9/16	40	49.2	184	137	54	17	21	18	98	19.0	49.2	UC 208-24 208-25 208	P208	1.83
UCP 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	54.0	190	146	54	17	21	20	106	19.0	49.2	UC 209-26 209-27 209-28 209	P209	2.18
UCP 210-30 210-31 210	1-7/8 1-15/16	50	57.2	206	159	60	20	25	21	114	19.0	51.6	UC 210-30 210-31 210	P210	2.68
UCP 211-32 211-34 211 211-35	2 2-1/8 2-3/16	55	63.5	219	171	60	20	25	23	126	22.2	55.6	UC 211-32 211-34 211 211-35	P211	3.27
UCP 212-36 212 212-38 212-39	2-1/4 2-3/8 2-7/16	60	69.8	241	184	70	20	25	25	138	25.4	65.1	UC 212-36 212 212-38 212-39	P212	4.52
UCP 213-39 213-40 213	2-7/16 2-1/2	65	76.2	265	203	70	25	29	27	151	25.4	65.1	UC 213-39 213-40 213	P213	5.70
UCP 214-43 214-44 214	2-11/16 2-3/4	70	79.4	266	210	72	25	31	27	157	30.2	74.6	UC 214-43 214-44 214	P214	6.66
UCP 215-47 215 215-48	2-5/16 3	75	82.6	275	217	74	25	31	28	163	33.3	77.8	UC 215-47 215 215-48	P215	7.40
UCP 216		80	88.9	292	232	78	25	31	30	175	33.3	82.6	UC 216	P216	9.00
UCP 217-52 217	3-1/4	85	95.2	310	247	83	25	31	32	187	34.1	85.7	UC 217-52 217	P217	11.00
UCP 218-56 218	3-1/2	90	101.6	327	262	88	27	33	33	200	39.7	96.0	UC 218-56 218	P218	13.00





UCF200

Bearing Unit No.	Shaft Dia		Dimensions (mm)									Bearing No.	Housing No.	Weight (kg)
	d		a	e	i	g	l	z	s	n	Bi			
	in	mm												
UCF 201 201-8	1/2	12	86	64	15	11	25.5	30.9	12	11.5	27.4	UC 201 201-8	F201	0.58
UCF 202 202-10	5/8	15	86	64	15	11	25.5	30.9	12	11.5	27.4	UC 202 202-10	F202	0.56
UCF 203 203-11	11/16	17	86	64	15	11	25.5	30.9	12	11.5	27.4	UC 203 203-11	F203	0.54
UCF 204-12 204	3/4	20	86	64	15	11	25.5	33.7	12	12.3	31.0	UC 204-12 204	F204	0.61
UCF 205-14 205-15 205-16	7/8 15/16 1	25	95	70	16	13	27.0	35.8	12	14.3	34.1	UC 205-14 205-15 205-16	F205	0.80
UCF 206-18 206-19 206-20	1-1/8 1-3/16 1-1/4	30	108	83	18	13	31.0	40.2	12	15.9	38.1	UC 206-18 206-19 206-20	F206	1.11
UCF 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	117	92	19	15	34.0	44.4	14	17.5	42.9	UC 207-20 207-21 207-22 207-23	F207	1.66
UCF 208-24 208-25 208	1-1/2 1-9/16	40	130	102	21	15	36.0	51.2	16	19.0	49.2	UC 208-24 208-25 208	F208	1.93
UCF 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	137	105	22	16	38.0	52.2	16	19.0	49.2	UC 209-26 209-27 209-28 209	F209	2.28
UCF 210-30 210-31 210	1-7/8 1-15/16	50	143	111	22	16	40.0	54.6	16	19.0	51.6	UC 210-30 210-31 210	F210	2.57
UCF 211-32 211-34 211-35	2 2-1/8 2-3/16	55	162	130	25	18	43.0	58.4	19	22.2	55.6	UC 211-32 211-34 211-35	F211	3.98
UCF 212-36 212-37 212-38 212-39	2-1/4 2-3/8 2-7/16	60	175	143	29	18	48.0	68.7	19	25.4	65.1	UC 212-36 212-37 212-38 212-39	F212	4.30
UCF 213-39 213-40 213	2-7/16 2-1/2	65	187	149	30	22	50.0	69.7	19	25.4	65.1	UC 213-39 213-40 213	F213	5.49
UCF 214-43 214-44 214	2-11/16 2-3/4	70	193	152	31	22	54.0	75.4	19	30.2	74.6	UC 214-43 214-44 214	F214	6.47
UCF 215-47 215-48	2-5/16 3	75	200	159	34	22	56.0	78.5	19	33.3	77.8	UC 215-47 215-48	F215	6.54
UCF 216		80	208	165	34	22	58.0	83.3	23	33.3	82.6	UC 216	F216	7.86
UCF 217-52 217	3-1/4	85	220	175	36	24	63.0	87.6	23	34.1	85.7	UC 217-52 217	F217	9.77
UCF 218-56 218	3-1/2	90	235	187	40	24	68.0	96.3	23	39.7	96.0	UC 218-56 218	F218	11.72





UCFL200

Bearing Unit No.	Shaft Dia		Dimensions (mm)										Bearing No.	Housing No.	Weight (kg)
	d		a	e	b	i	g	l	z	s	n	Bi			
	in	mm													
UCFL 201-8	1/2	12	113	90	60	15	12	25.5	30.9	12	11.5	27.4	UC 201-8	FL201	0.43
UCFL 202-10	5/8	15	113	90	60	15	12	25.5	30.9	12	11.5	27.4	UC 202-10	FL202	0.42
UCFL 203-11	11/16	17	113	90	60	15	12	25.5	30.9	12	11.5	27.4	UC 203-11	FL203	0.41
UCFL 204-12	3/4	20	113	90	60	15	12	25.5	33.7	12	12.3	31.0	UC 204-12	FL204	0.48
UCFL 205-14	7/8	25	130	99	68	16	14	27.0	35.8	16	14.3	34.1	UC 205-14	FL205	0.60
UCFL 205-15	15/16												UC 205-15		
UCFL 205-16	1												UC 205-16		
UCFL 206-18	1-1/8	30	148	117	80	18	14	31.0	40.2	16	15.9	38.1	UC 206-18	FL206	0.98
UCFL 206-19	1-3/16												UC 206-19		
UCFL 206-20	1-1/4												UC 206-20		
UCFL 207-20	1-1/4	35	161	130	90	19	16	34.0	44.4	16	17.5	42.9	UC 207-20	FL207	1.31
UCFL 207-21	1-5/16												UC 207-21		
UCFL 207-22	1-3/8												UC 207-22		
UCFL 207-23	1-7/16												UC 207-23		
UCFL 208-24	1-1/2	40	175	144	100	21	16	36.0	51.2	16	19.0	49.2	UC 208-24	FL208	1.53
UCFL 208-25	1-9/16												UC 208-25		
UCFL 209-26	1-5/8	45	188	148	108	22	18	38.0	52.2	19	19.0	49.2	UC 209-26	FL209	1.68
UCFL 209-27	1-11/16												UC 209-27		
UCFL 209-28	1-3/4												UC 209-28		
UCFL 209-29													UC 209-29		
UCFL 210-30	1-7/8	50	197	157	115	22	18	40.0	54.6	19	19.0	51.6	UC 210-30	FL210	1.88
UCFL 210-31	1-15/16												UC 210-31		
UCFL 211-32	2	55	224	184	130	25	20	43.0	58.4	19	22.2	55.6	UC 211-32	FL211	3.10
UCFL 211-34	2-1/8												UC 211-34		
UCFL 211-35	2-3/16												UC 211-35		
UCFL 212-36	2-1/4	60	250	202	140	29	20	48.0	68.7	23	25.4	65.1	UC 212-36	FL212	4.00
UCFL 212-37	2-1/2												UC 212-37		
UCFL 212-38	2-3/8												UC 212-38		
UCFL 212-39	2-7/16												UC 212-39		
UCFL 213-39	2-7/16	65	258	210	155	30	24	50.0	69.7	23	25.4	65.1	UC 213-39	FL213	5.00
UCFL 213-40	2-1/2												UC 213-40		
UCFL 214-43	2-11/16	70	265	216	160	31	24	54.0	75.4	23	30.2	74.6	UC 214-43	FL214	5.60
UCFL 214-44	2-3/4												UC 214-44		
UCFL 215-47	2-5/16	75	275	225	165	34	24	56.0	78.5	23	33.3	77.8	UC 215-47	FL215	6.20
UCFL 215-48	3												UC 215-48		
UCFL 216		80	290	233	180	34	24	58.0	83.3	25	33.3	82.6	UC 216	FL216	8.20
UCFL 217-52	3-1/4	85	305	248	190	36	26	63.0	87.6	25	34.1	85.7	UC 217-52	FL217	9.26
UCFL 218-56	3-1/2	90	320	265	205	40	26	68.0	96.3	25	39.7	96.0	UC 218-56	FL218	11.73


UCFC200

Bearing Unit No.	Shaft Dia		Dimensions (mm)													Bearing No.	Housing No.	Weight (kg)
	d		a	p	i	g	j	k	s	e	f	z	n	Bi				
	in	mm																
UCFC 201 201-8	1/2	12	100	78	10	20.5	5	7	12	55.1	62	25.9	11.5	27.4	UC 201 201-8	FC201	0.78	
UCFC 202 202-10	5/8	15	100	78	10	20.5	5	7	12	55.1	62	25.9	11.5	27.4	UC 202 202-10	FC202	0.77	
UCFC 203 203-11	11/16	17	100	78	10	20.5	5	7	12	55.1	62	25.9	11.5	27.4	UC 203 203-11	FC203	0.76	
UCFC 204-12 204	3/4	20	100	78	10	20.5	5	7	12	55.1	62	28.7	12.3	31.0	UC 204-12 204	FC204	0.81	
UCFC 205-14 205-15 205 205-16	7/8 15/16 1	25	115	90	10	21.0	6	8	12	63.6	70	29.8	14.3	34.1	UC 205-14 205-15 205 205-16	FC205	1.09	
UCFC 206-18 206 206-19 206-20	1-1/8 1-3/16 1-1/4	30	125	100	10	23.0	8	8	12	70.7	80	32.2	15.9	38.1	UC 206-18 206 206-19 206-20	FC206	1.51	
UCFC 207-20 207-21 207-22 207 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	135	110	11	26.0	8	9	14	77.8	90	36.4	17.5	42.9	UC 207-20 207-21 207-22 207 207-23	FC207	1.98	
UCFC 208-24 208-25 208	1-1/2 1-9/16	40	145	120	11	26.0	10	9	14	84.8	100	41.2	19.0	49.2	UC 208-24 208-25 208	FC208	2.32	
UCFC 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	160	132	10	26.0	12	14	16	93.3	105	40.2	19.0	49.2	UC 209-26 209-27 209-28 209	FC209	3.07	
UCFC 210-30 210-31 210	1-7/8 1-15/16	50	165	138	10	28.0	12	14	16	97.6	110	42.6	19.0	51.6	UC 210-30 210-31 210	FC210	3.28	
UCFC 211-32 211-34 211 211-35	2 2-1/8 2-3/16	55	185	150	13	31.0	12	15	19	106.1	125	46.4	22.2	55.6	UC 211-32 211-34 211 211-35	FC211	4.20	
UCFC 212-36 212 212-38 212-39	2-1/4 2-1/2 2-3/8 2-7/16	60	195	160	17	36.0	12	15	19	113.1	135	56.7	25.4	65.1	UC 212-36 212 212-38 212-39	FC212	5.45	
UCFC 213-39 213-40 213	2-7/16 2-1/2	65	205	170	16	36.0	14	15	19	120.2	145	55.7	25.4	65.1	UC 213-39 213-40 213	FC213	5.91	
UCFC 214-43 214-44 214	2-11/16 2-3/4	70	215	177	17	40.0	14	18	19	125.1	150	61.4	30.2	74.6	UC 214-43 214-44 214	FC214	7.26	
UCFC 215-47 215 215-48	2-5/16 3	75	220	184	18	40.0	16	18	19	130.1	160	62.5	33.3	77.8	UC 215-47 215 215-48	FC215	8.02	
UCFC 216		80	240	200	18	42.0	16	18	23	141.4	170	67.3	33.3	82.6	UC 216	FC216	9.92	
UCFC 217-52 217	3-1/4	85	250	208	18	45.0	18	20	23	147.1	180	69.6	34.1	87.5	UC 217-52 217	FC217	11.58	
UCFC 218-56 218	3-1/2	90	265	220	22	50.0	18	20	23	155.5	190	78.3	39.7	96.0	UC 218-56 218	FC218	13.74	



UCT200

Bearing Unit No.	Shaft Dia		Dimensions (mm)															Bearing No.	Housing No.	Weight (kg)
	d	mm	o	g	s	p	q	b	k	e	a	w	j	l	h	n	Bi			
UCT 201 201-8	1/2	12	16	10	51	32	19	51	12	76	89	94	32	21	61	11.5	27.4	UC 201 201-8	T201	0.79
UCT 202 202-10	5/8	15	16	10	51	32	19	51	12	76	89	94	32	21	61	11.5	27.4	UC 202 202-10	T202	0.78
UCT 203 203-11	11/16	17	16	10	51	32	19	51	12	76	89	94	32	21	61	11.5	27.4	UC 203 203-11	T203	0.77
UCT 204-12 204	3/4	20	16	10	51	32	19	51	12	76	89	94	32	21	61	12.3	31.0	UC 204-12 204	T204	0.81
UCT 205-14 205-15 205-16	7/8 15/16 1	25	16	10	51	32	19	51	12	76	89	97	32	24	62	14.3	34.1	UC 205-14 205-15 205-16	T205	0.92
UCT 206-18 206 206-19 206-20	1-1/8 1-3/16 1-1/4	30	16	10	56	37	22	57	12	89	102	113	37	28	70	15.9	38.1	UC 206-18 206 206-19 206-20	T206	1.01
UCT 207-20 207-21 207-22 207 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	16	13	64	37	22	64	12	89	102	129	37	30	78	17.5	42.9	UC 207-20 207-21 207-22 207 207-23	T207	1.70
UCT 208-24 208-25 208	1-1/2 1-9/16	40	19	16	83	49	29	83	16	102	114	144	49	33	88	19.0	49.2	UC 208-24 208-25 208	T208	2.43
UCT 209-26 209-27 209-28 209	1-5/8 1-11/16 1-3/4	45	19	16	83	49	29	83	16	102	117	144	49	35	87	19.0	49.2	UC 209-26 209-27 209-28 209	T209	2.58
UCT 210-30 210-31 210	1-7/8 1-15/16	50	19	16	83	49	29	86	16	102	117	149	49	37	90	19.0	51.6	UC 210-30 210-31 210	T210	2.78
UCT 211-32 211-33 211-34 211-35	2 2-1/8 2-3/16	55	25	19	102	64	35	95	22	130	146	171	64	38	106	22.2	55.6	UC 211-32 211-33 211-34 211-35	T211	4.17
UCT 212-36 212 212-38 212-39	2-1/4 2-3/8 2-7/16	60	32	19	102	64	35	102	22	130	146	194	67	42	119	25.4	65.1	UC 212-36 212 212-38 212-39	T212	4.90
UCT 213-39 213-40 213	2-7/16 2-1/2	65	32	21	111	70	41	121	26	151	167	224	70	44	137	25.4	65.1	UC 213-39 213-40 213	T213	7.30
UCT 214-43 214-44 214	2-11/16 2-3/4	70	32	21	111	70	41	121	26	151	167	224	70	46	137	30.2	74.6	UC 214-43 214-44 214	T214	7.36
UCT 215-47 215 215-48	2-5/16 3	75	32	21	111	70	41	121	26	151	167	232	70	48	140	33.3	77.8	UC 215-47 215 215-48	T215	7.99
UCT 216		80	32	21	111	70	41	121	26	165	184	235	70	51	140	33.3	82.6	UC 216	T216	8.92
UCT 217-52 217	3-1/4	85	38	29	124	73	48	157	30	173	198	260	73	54	162	34.1	85.7	UC 217-52 217	T217	11.46

WBF[®]



Ball Bearing Units